



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER
LLP
901 NEW YORK AVENUE, NW
WASHINGTON DC 20001-4413

MAILED

FEB 23 2012

OFFICE OF PETITIONS

In re Application of
Slater
Application No. 09/484,247
Filed: January 18, 2000
U.S. Patent No. 8,062,292
Issue Date: November 22, 2011
Attorney Docket No. 6530.0008-03
For: Bipolar Endoscopic Surgical Scissor
Blades and Instrument Incorporating the Same

DECISION

The above-identified application has been forwarded to the undersigned for consideration on a petition for patent term extension entitled "Petition for Patent Term Adjustment Due to Examination Delay under 37 CFR 1.181" received on July 26, 2011.

The petition is granted.

The Notice of Allowance and Fee(s) Due mailed on July 13, 2011 improperly stated that the Patent Term Extension is 79 days. The Office electronic records have been corrected to reflect that the patent term extension is 141 days.

The Office proposes to issue a certificate of correction in order to rectify the error regarding the patent term extension information. See 35 U.S.C. 245 and 37 CFR 1.322. A telephone call was placed to Mr. Bookoff to confirm issuance of the certificate of correction.

Petitioner's deposit account has not been charged a petition fee.

Inquiries regarding this communication should be directed to the undersigned at (571) 272-7709.

Mark Polutta
Senior Legal Advisor
Office of Patent Legal Administration
Office of the Deputy Commissioner
for Patent Examination Policy